

EXPERIENCE THE DIFFERENCE



Established in 1979 Made In The USA



Maxima Racing Oils was created for world-class racers who challenge the limits of possibility. Their demands on equipment drive us to look beyond conventional ideas and to exceed industry standards. It's in our DNA to identify problems, formulate solutions and execute at the highest levels of competition. A simple goal to make things better than ever thought possible.

Maxima believed it could change lubrication and along our 35+ year journey – many others believed in us too. Superior technology transcends sport to enhance the experience of consumers and racers alike. Our market leading products are used in over 50 countries around the globe and include engine oils, suspension fluids, coolants, care products and accessories. These products represent our commitment to excellence and a passion for redefining what is possible.

We challenge you to experience the difference with Maxima. Ultimate performance, unbeatable protection and a love of motorcycles defines Maxima. Countless hours of development, focused purely on the Powersports market, has enabled Maxima to be a top choice for all makes, models and brands.

Founded in 1979 and headquartered in Southern California, Maxima is recognized as one of the most coveted brands in the motorcycle industry. Decades of active involvement in motorcycling has led to powerful technology and a full array of market leading products.

EXPERIENCE THE DIFFERENCE













PERFORMANCE INSPIRED 2-STROKE ENGINE OILS



PREMIX, INJECTOR AND AUTOLUBE

Α



SXS, STREET, V-TWIN & OFF-ROAD MOTORCYCLES



SPECIFIC FORMULAS TO ENHANCE YOUR EXPERIENCE



AA





CLEANERS, POLISHES AND LUBES







THE MOST COMPREHENSIVE SIDE-BY-SIDE SPECIFIC LINE-UP

ZERO FADE FORMULAS PUT A DAMPER ON THE COMPETITION

20

AA



CLEANERS, FILTER OILS AND HIGH PERFORMANCE COOLANTS

ZERO FADE AND ANTI-STICTION FORMULAS



FUEL ADDITIVES, GREASES, LUBES AND BRAKE FLUIDS













ΑA MICROFIBER TOWELS, DECALS, BANNERS, T-SHIRTS, HOODIES, HATS, TATTOOS, AIR FRESHENERS, RACE CANOPIES AND DISPLAY RACKS RACE PROVEN WORLDWIDE

TTAA READY-TO-USE, READY-TO-RACE PRE-OILED DUAL-STAGE FOAM AIR FILTERS WASH AFTER WASH, READY-TO-RACE

ARAAA 149AA WORLD CHAMPIONSHIP PERFORMANCE

MAXIMA RACING OILS 9266 ABRAHAM WAY • SANTEE, CA 92071 USA Tech Line 619.449.5000 Fax Line 619.449.9694

38

TABLE OF CONTENTS



530MX

additives ensure the ultimate in protection for critical engine, transmission and clutch components. High temperature detergents keep your engine running clean and trouble-free, while the ultra shear-stable polymer system maintains constant viscosity, minimizing viscosity



100% synthetic triple ester 4T engine oil. Developed on the world's toughest race tracks, 530MX produces more horsepower, increases torque and provides excellent clutch feel. Advanced THAT PARTY loss and clutch fade. There is no better choice for MX racing motorcycles. Exceeds all OEM specifications. Available in: Liter

100% synthetic triple ester 4T engine oil. Developed on the world's toughest race circuits, 530RR produces more horsepower, increases torque and provides excellent clutch feel. Advanced additives ensure the ultimate in protection Luakena for critical engine, transmission and clutch components. High temperature

100% SYNTHETIC FULL RACE GRADE

detergents keep your engine running clean and trouble-free, while the ultra shear-stable polymer system maintains constant viscosity, minimizing viscosity loss and clutch fade. There is no better choice for modern hi-revving road racing motorcycles. Exceeds all OEM specifications.


Available in: Liter

530RR



PROPER BREAK-IN OF NEW. RACE & REBUILT ENGINES INCREASES DURABILITY & PERFORMANCE

Proper engine break-in will produce an engine that achieves maximum power output with the least amount of oil consumption. A new engine should be broken in using specific guidelines during the first few hours. Maxima Break-In Oil should be part of your routine procedure during the initial 2-3 hour run-in time. The focus of breaking in an engine is on the contact between the piston rings of the engine and the cylinder wall. When the piston rings are broken in or seated, combustion gases aren't able to escape the combustion chamber past the piston rings into the crankcase section of the engine. This lack of "blow-by" keeps your engine running cleaner and cooler by preventing hot combustion gases and by-products from entering the crankcase. The tighter the piston rings are set in, the longer an engine is expected to last. Maxima Break-In Oil improves piston ring seal during initial break-in and protects cams and lifters from extreme loads and "welding" caused by severe hot spots.



EXTRA

100% SYNTHETIC TRIPLE ESTER *0W-10 • 5W-40 • 10W-40 • 15W-50 • 10W-60*

100% synthetic triple ester 4T engine oil. Formulated for street and off-road wet clutch applications. Surface active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. Regenerative polymer system resists mechanical shearing and heat breakdown of the oil offering exceptional viscosity retention in severe climates. Exceeds all OEM specifications

API SL/SJ/SH/SG, JASO MA

Available in: Liter/128oz



PRO PLUS+

100% SYNTHETIC ESTER 10W-30 • 10W-40 • 10W-50 • 20W-50

100% synthetic ester fortified 4T engine oil. Formulated to exceed JASO MA2 requirements for 4-stroke engines with integrated wet clutches. Designed to prolong clutch life and provides excellent feel. Surface active chemistry lowers engine temperatures, increases film strength and extends oil drain intervals. Balanced additive system minimizes engine deposits while protecting critical engine, transmission and clutch components. Exceeds all OEM specifications.





High quality, petroleum 4T engine oil features proprietary additive system to minimize engine deposits while protecting critical engine, transmission and clutch components. Shear-stable polymers resist mechanical breakdown to maintain consistent viscosity. Motorcycle specific formula designed for use in wet clutch applications. Formulated for street and off-road applications with single and multi-cylinder engines. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2 Available in: Liter/128oz



TAXABLE !

SYN BLEND ESTER BASED SYNTHETIC BLEND 10W-40 • 20W-50

Ester based synthetic blend 4T engine oil. Surface active chemistry lowers engine temperatures, increases film strength and extends oil drain intervals. Balanced additive system minimizes engine deposits while protecting critical engine, transmission and clutch components. Shear-stable polymers resist mechanical breakdown to maintain consistent viscosity. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter/128oz

PREMIUM BREAK-IN PETROLEUM BREAK-IN SPECIFIC OIL 10W-30

Specifically designed for breaking in engines with flat tappet camshafts, roller elements or where elevated levels of anti-wear additives are needed. Advanced technology provides optimum ring seal. Formulated with high levels of zinc and phosphorous in a highly refined, pure petroleum base oil. Complex 2X Zinc structure activates at lower temperatures and offers more protection at elevated temperatures than conventional oils.

- For use in the break-in of engines including Motorcycle, ATV, Side-By-Side, PWC and more.
- Safe for use in wet clutch systems.
- Excellent general purpose dyno oil.
- Compatible with petroleum, semi-synthetic and full synthetic motor oils.
- Delivers long-term benefits to new or rebuilt engines.

Use for unsurpassed protection against critical engine component wear. Fully formulated and perfectly balanced requiring no other additives. Dyno tests show more efficiency in the break-in phase when using Maxima Premium Break-In Oil.

Available in: Liter, 5-Gal Pails & 55-Gal Drums





4-STROKE ENGINE OILS

LANGE TO SERVICE

PWC MARINE 4T

ADVANCED MARINE FORMULA 10W-40

Specially formulated to perform in 4-stroke PWC and outboard engines. Formulated with the latest additive technology ensuring a smooth clean running engine. Surface active chemistry helps protect the engine from extreme pressures, scuffing, runaway temperatures and thermal degradation. Offers outstanding rust and corrosion protection. There is no better choice for 4-stroke watercrafts. Exceeds FC-W specifications.

API SL/SJ/SH/SG Available in: Liter

10W-40 Specially formulated for modern ATVs. Proprietary additive system combines with a shear stable polymer system to provide unsurpassed protection against wear, oxidation, thermal TOWN THE breakdown and viscosity loss. Wet clutch formula offers outstanding fade-free clutch performance. Formulated with the latest technology to keep your engine operating smooth, clean and trouble-free. Exceeds all OEM specifications. API SL/SJ/SH/SG, JASO MA2

Available in: Liter

ATV PREMIUM 4T

PETROLEUM BASED









SNOWMOBILE 4T COLD CLIMATE FORMULA

5W-30

Specially formulated with a low pour point to perform in cold climates. Advanced additive system contains extreme pressure and anti-wear agents to protect your engine from metal-to-metal contact. Keep your engine running smooth and deposit free. Additional rust and corrosion components protect your engine against wet environments for trouble-free operation.

MARKETE

API SL/SJ/SH/SG Available in: Liter

SCOOTER 4T METRO FORMULA 10W-40

Specially formulated for modern, free-revving scooters and mopeds. Designed to handle the stresses placed on modern engines defined by constant stop-and-go traffic, excessive idling and fully loaded engine operation. A unique blend of the latest anti-wear additives with an advanced detergent system to keep your engine running smooth and trouble-free in any season. Exceeds all OEM specifications.

API SL/SJ/SH/SG Available in: Liter

MARKET .

SXS ENGINE SYNTHETIC 100% SYNTHETIC ENGINE OIL

0W-40 • 5W-50 • 10W-50

100% synthetic ester fortified 4-stroke engine oil. Robust formulation lowers operating temperatures, increases power output and offers unsurpassed engine cleanliness through its proprietary additive system. Formulated with a unique balance of surface active anti-wear and extreme pressure additives with high quality synthetic base oils to ensure smooth, trouble-free operation for extended periods. Shear stable polymers resist mechanical breakdown of the engine oil to maintain consistent viscosity. Exceeds all OEM specifications.

API SL/SJ/SH/SG Available in: Liter

SXS ENGINE PREMIUM PREMIUM ENGINE OIL

10W-40

High performance, premium 4-stroke engine oil designed for use in modern side-by-side vehicles. A unique balance of surface active anti-wear and extreme pressure additives with ultra-pure petroleum base oil to ensure smooth, trouble-free operation for extended periods of time. Shearstable polymers resist mechanical breakdown of the engine oil giving excellent stay-in-grade performance. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2

V-TWIN 100% SYNTHETIC

ENGINE OIL 20W-50

100% synthetic ester fortified engine oil engineered and approved to be used as a multi-compartment oil for H-D V-Twin engines, transmissions and primaries. Surface active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. Regenerative polymer system resists mechanical shearing and heat breakdown of the oil offering exceptional viscosity retention in severe climates. Ultra-clean additive package keeps engines clean, protects against sludge and allows for trouble-free operation. Exceeds all OEM specifications.

API SL/SJ/SH/SG

Available in: 32oz

V-TWIN SYNTHETIC BLEND **ENGINE OIL**

20W-50

Ester based synthetic blend motorcycle oil specifically formulated for V-Twin engines. Surface active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. An advanced polymer system resists mechanical shearing and heat breakdown of the oil offering unsurpassed viscosity retention. Ultra-clean additive package keeps engines clean, protects against sludge and allows for trouble-free operation. Exceeds all OEM specifications.

API SL/SJ/SH/SG Available in: 32oz API SL/SJ/SH/SG

V-TWIN MINERAL **ENGINE OIL**

10W-40 • 20W-50 • 25W-60 **50WT • 60WT • 70WT**

High quality, mineral based oil specifically formulated for V-Twin engines. An advanced polymer system resists mechanical shearing and heat breakdown of the oil offering unsurpassed viscosity retention. Engineered with industry leading anti-wear and extreme pressure additives to protect critical engine components. Superior additive package keeps engines clean, protects against sludge and allows for trouble-free operation. Exceeds all OEM specifications.

WIWIN

CHRINE DEL

Available in: 32oz NOTE: 20W-50 ALSO AVAILABLE IN 128oz



Available in: Liter

OPTIMIZED FOR LOW CC MOTORCYCLES 20W-50

Exclusive blend of high quality mineral base oils and advanced shear stable polymers that assure viscosity stability in extreme high heat and stop-and-go operating conditions. Unique anti-wear additives provide the ultimate protection against engine wear on pistons, valvetrain and gears. Active detergents keep the engine clean, offering smooth, trouble-free performance. Formulated to protect critical engine, transmission and clutch components and to extend engine life.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter ONLY AVAILABLE IN LATIN AMERICA





4-STROKE ENGINE OILS



2-STROKE ENGINE OILS

CASTOR 927

Advanced ashless formula blends special castor base with exotic ester synthetics providing the ultimate racing 2T engine oil. Biodegradable formula is fortified with clean burning additives to reduce power valve maintenance, prevents rust & oxidation, eliminates ring sticking and reduces carbon build-up. Generate more horsepower with improved ring seal and significantly lower friction. Premix only.

Available In: 16oz/Liter/64oz



TO VERY

FORMULA K2

100% SYNTHETIC ESTER

100% synthetic ester high performance 2T engine oil. High film strength provides superior protection for pistons, cylinder walls, cranks and bearings. Advanced additive system eliminates ring sticking, reduces carbon build-up, prevents rust & oxidation and minimizes power valve maintenance. Suitable for all forms of competition. Safe to use with leaded or unleaded gasoline. Exceeds all OEM specifications. Premix only. JASO FD. ISO-L-EGD and API TC

Available In: 16oz/Liter/64oz



SUPER M

SYNTHETIC BLEND ESTER

Smokeless, low ash ester based synthetic blend 2T engine oil. Designed for use in all high performance 2-stroke engines. Ester synthetics offer high film strength and reduced friction allowing for efficient running engines. Ultra-clean burn technology prevents ring sticking and keeps pistons and exhaust tracts carbon-free. Exceeds all OEM specifications. Premix only.

JASO FD, ISO-L-EGD and API TC Available In: 16oz/Liter/64oz



SUPER M INJECTOR

SYNTHETIC BLEND ESTER

Smokeless, low ash ester based synthetic blend 2T engine oil. Ester synthetics offer high film strength and reduced friction allowing for efficient running engines. Ultra-clean burn technology prevents ring sticking and keeps pistons and exhaust tracts carbon-free. Blended with special base stocks designed for use in oil injector and autolube systems. Safe to use with catalytic converters. Exceeds all OEM specifications. Injector

JASO FD. ISO-L-EGD and API TC Available In: Liter/128oz



SCOOTER PRO 2T SYNTHETIC BLEND

Smokeless, synthetic blend 2T engine oil specially formulated for scooters and mopeds. Ideal for either gasoline premix or oil injected engines. Eliminates plug fouling, ring sticking and reduces the formation of carbon. Provides excellent anti-scuff, anti-wear and rust & corrosion protection. Exceeds all OEM standards. Premix, injector or autolube.

JASO FD. ISO-L-EGD and API TC

Available in: Liter



SCOOTER 2T

PETROLEUM BASED

Low smoke, petroleum blend 2T engine oil specially formulated for scooters and mopeds. Ideal for either gasoline premix or oil injected engines. Eliminates plug fouling, ring sticking and reduces the formation of carbon. Provides excellent anti-scuff, anti-wear and rust & corrosion protection. Exceeds all OEM standards. Premix, injector or autolube.

JASO FC and API TC Available in: Liter



TUNDRA R

SYNTHETIC BLEND ESTER

Smokeless, ashless environmentally friendly ester based synthetic blend 2T engine oil. Specifically formulated for use in high performance snowmobile engines with power valves. Unique additives provide excellent anti-scuff, anti-wear and rust & corrosion protection. Extremely low pour point of -50°F for cold weather conditions. Exceeds all OEM specifications. Premix, injector or autolube.

JASO FD, ISO-L-EGD and API TC Available in: Liter/128oz



TUNDRA

SYNTHETIC BLEND

Low smoke, low ash synthetic blend 2T engine oil specifically formulated for use in high performance snowmobiles with power valves. Provides excellent anti-scuff, anti-wear and rust & corrosion protection. Extremely low -45°F pour point for cold weather conditions. Exceeds all OEM specifications. Premix, injector or autolube.

JASO FD, ISO-L-EGD and API TC Available in: Liter/128oz



BIO 2T

100% SYNTHETIC ESTER

Biodearadable high performance 100% synthetic ester 2T engine oil. Unique ashless formula reduces power valve maintenance, prevents rust and corrosion and eliminates ring sticking. Advanced additive system provides unsurpassed high temperature, high speed protection for critical engine components. Extremely clean burning and recommended for use in environmentally sensitive areas. Ratios 24:1 to 60:1 to match engine requirements. Exceeds all OEM specifications. Injector or Premix

JASO FD, ISO-L-EGD and API TC

Available in: Liter



MARINE PRO

PETROLEUM BASED TC-W3 Ashless, petroleum based 2T engine oil specifically

formulated for personal watercraft and outboard motors. Meets or exceeds all OEM & NMMA TC-W3 specifications. Provides reduced carbon, excellent anti-wear and rust & corrosion protection. Clean burn technology. Safe to use with catalytic converters. Premix, injector or autolube. NMMA TC-W3

Available in: Liter/128oz



PREMIUM2

SYNTHETIC BLEND ESTER

Smokeless, ashless, ultra-clean burnina ester based synthetic blend 2T engine oil. Designed for use in applications where constant throttle positions are the norm, such as high performance personal watercraft, snowmobile and outboard motors. Provides exceptional anti-wear and rust & corrosion protection. Safe to use with catalytic converters. Exceeds all OEM requirements. Premix, injector or autolube.

JASO FD, ISO-L-EGD, NMMA TC-W3

Available in: Liter/128oz



OIL MIXING/RATIO CHART

| RATIO | Oz. Per 1-Gal | CC Per 1-Gal | Oz. Per 5-Gal | CC Per 5-Gal | CC Per Liter |
|-------|------------------|-----------------|------------------|-----------------|-----------------|
| 16:1 | 8.0 | 236 | 40.0 | 1180 | 62.5 |
| 20:1 | 6.4 | 190 | 32.0 | 945 | 50.0 |
| 24:1 | 5.3 | 157 | 26.7 | 790 | 41.5 |
| 28:1 | 4.6 | 136 | 22.8 | 675 | 36.0 |
| 32:1 | 4.0 | 118 | 20.0 | 590 | 31.0 |
| 40:1 | 3.2 | 95 | 16.0 | 475 | 25.0 |
| 50:1 | 2.6 | 77 | 12.8 | 380 | 20.0 |
| 64:1 | 2.0 | 59 | 10.0 | 295 | 15.5 |
| 80:1 | 1.6 | 47 | 8.0 | 235 | 12.5 |
| 100:1 | 1.3 | 30 | 6.4 | 190 | 10.0 |



2-STROKE ENGINE OILS









V-TWIN FORK OIL 5WT H-D TYPE E, 10WT H-D TYPE B & 20WT H-D TYPE HD

Premium quality, ultra-pure base oils and surface active additives that provide excellent lubricity, control foaming and protect the suspension system against corrosion. Special Lubricinol™ formula conditions seals, protects moving parts and reduces stiction to enhance fork performance over a wide operating temperature range. Advanced detergents provide ultra-clean operation and protect suspension systems from wear, deposits and allow for trouble-free operation.

Available in: 32oz



SYN RACING SHOCK FLUID 100% SYNTHETIC

Blended to the tight specifications required by racing professionals. Ultra-clean additive system ensures clean, trouble-free operation over extended usage periods. Regenerative synthetic polymers resist mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Extremely high viscosity index over 350+ minimizes the rate of viscosity change and volumetric expansion under high temperatures. Active chemistry controls foam and wear. Compatible with petroleum and synthetic suspension fluids.

LIGHT 3WT 100% synthetic ester shock fluid. Formulated to withstand extreme temperatures and loads. A 1.00

RACING SHOCK FLUID

ZERO FADE FORMULA LIGHT 3WT • MEDIUM 7WT • HEAVY 10WT

TOWN COME

Formulated with special slippery agents that reduce friction and eliminate stiction. Ultra-clean additive system ensures clean, trouble-free operation over extended usage periods. Regenerative synthetic polymers resist mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Extremely high viscosity index over 350+ minimizes the rate of viscosity change under high temperatures. Active chemistry controls foam and wear. Compatible with petroleum and synthetic suspension fluids.

Available in: 32oz



Specially formulated for all high performance cartridge and standard-type forks. Custom blended slippery agents provide uniform fork action and eliminate stiction. Regenerative synthetic polymers offer a high viscosity index (190+) that resists mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Ultra-clean additive system conditions seals and ensures clean, trouble-free operation over extended usage periods.

Available in: Liter

FORK OIL

CARTRIDGE & CONVENTIONAL FORKS 5WT • 10WT • 15WT • 20WT

Premium quality, ultra-pure base oils and surface active additives that provide excellent lubricity, control foaming and protect the suspension system against corrosion. Special Lubricinol™ formula conditions seals, protects moving parts and reduces stiction to enhance fork performance over a wide operating temperature range. Advanced detergents provide ultra-clean operation and protect suspension systems from wear, deposits and allow for trouble-free operation.

Available in: 16oz/Liter



Available in: 32oz



SUSPENSION FLUIDS & OILS SUSPENSION FLUIDS & OILS





SC1 HIGH GLOSS COATING

A factory mechanic's best kept secret for bringing tattered equipment back to life. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Easy application – can be sprayed on surface and left wet or buffed to a dry sheen. Wet application helps prevent mud from accumulating on surface. Restore the showroom shine in one easy application. Ride, clean and SC1 your ride to keep it working and looking its best.

Available in: 12oz



SPEED WAX

PROFESSIONAL FORMULA

An all-in-one detailer that conditions, shines and protects painted surfaces, chrome, anodizing, windscreens and plastic. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Easy application and removal – designed to minimize effort and maximize shine – the quickest way to detail your ride. Soothing wax sets up quickly and easily wipes from smooth surfaces. A single application is all it takes.

Available in: 15.5oz





hih5&8h:f8AY°&W8 h5&Y:W°-nAY°&W8&g

Specifically formulated for the Powersports industry professional. Unique formula quickly and easily cleans suspension internally and externally leaving a dry, residue-free surface. Professional formula integrates strong industrial cleaners with a powerful spray. Displaces moisture. Overspray will not harm O-rings or most seal materials. User Friendly Scent.

Available in: 13oz



&°&Y-g:YW°AYf8-WY-AY°&W8 Y:-gihAhY&8-&a

Citrus scented, heavy duty aerosol cleaner is a blend of special cleaning agents that displace moisture and remove grease, oil and other contaminants. Extra heavy propellant charge provides maximum spray pressure for hard to reach areas. Outstanding for use on ignitions, spark plugs, electrical components or when a fast drying cleaner is needed. Non-caustic, No CFC's.

Available in: 13oz





Y°&W8 i5 YcW:8AY°&W8&g

Heavy duty, emulsion-type cleaner designed to thoroughly clean chains without harming rubber O-rings or metal surfaces. Outstanding performance on aluminum. Quickly dissolves and removes hard to clean buildup on your chains. Stop robbing horsepower. For best results, use CleanUp with your routine maintenance.


Available in: 15.5oz



e55° ei°-:l5ig5fh&A5&8&-gW8-A°iX&

A superior, all-purpose spray-on penetrating lubricant. Provides a light lubrication and excellent barrier against rust & corrosion. Great for displacing moisture or loosening corroded nuts and bolts. Film forming protectant for metal surfaces and will not harm plastic or painted surfaces. Excellent fogging oil and starting fluid for engines.

Available in: 14.5oz







PURPOSE BUILT FORMULAS

| MANUFACTURER | MODEL | ENGINE OIL | TRANS OIL | FRONT DIFFERENTIAL OIL | REAR DIFFERENTIAL OIL |
|---------------|--|---|---|---|---|
| ARCTIC CAT | WILDCAT, PROWLER & PROWLER HDX | SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 9W-50 | CVT IN/Al | SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 | SYIN GEAR 75W-90 API GL-5 SXS CEAR 80W-90 API GL-5 |
| BRP CAN-AM | COMMANDER & MAVERICK | SXS ENGINE 10W-40 SXS PULL SYN 0W-40 SXS PULL SYN SW-50 | SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 | SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 | SYIN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 |
| HONDA | PHONEER | PROPLUS + 10W-30 SXS ENGINE 10W-40 SXS FULL SYN 0W-40 | WET CLUTCH JENGINE OIL) N/A | SYN GEAR 75W-90 API CL-5 SXS GEAR BOW-90 API GL-5 | SYN GEAR 75W-90 API GL-5 SXS GEAR BOW-90 API GL-5 |
| KAWASAKI | TERYX, TERYX4 & MULE | SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50 | CVT IN/Al | SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50 | SXS TRANS (WET BRAKE) |
| POLARIS | RANGER, RZR, RZR4. 900,1000 & TURBO | SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN SW-50 PROPLUS+ 10W-50 TEXTEME BUTY | SXS TRANS "2010 & NEWER XP900/1000 USE SXS GEAR OLDOW/90 API GL-5" | SXS TRANS | SYN GEAR 75W-90 API GL-5 SXS GEAR BOW-90 API GL-5 |
| УАМАНА | RHINO | SXS ENGINE 10W-40 SXS FULL 5YN 0W-40 SXS FULL 5YN SW-50 | A\n (JIO ank)ne hotulo taw | SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 | SYN GEAR 75W-90 API GL-5 SXS GEAR BOW-90 API GL-5 |
| | VIKING | SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 9W-50 | CVT (N/A) | SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 | SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 |
| | YXZ | SXS ENGINE 10W-40 SXS FULL SYIN 0W-40 SXS FULL SYIN 5W-50 | WET QUITCH JENGINE OIL) N/A | SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5 | SYN GEAR 75W-90 API GL-5 SXS CEAR 80W-90 API GL-5 |



Maxima offers a high performance line of oils specifically designed for your SXS. Modern Side-By-Sides produce more horsepower than ever, putting added strain on critical engine, trans and gearbox components. Maxima protects your SXS while at the same time getting the most out of it.











3 MAXIMA MICROFIBER TOWELS (13.7" X 13.7" - 35cm x 35cm)



MAXIMA YOUTH TATTOO



SC1 AIR FRESHENER Smells great, SC1 scented!





WOOL CLASSIC SNAPBACK

79 MC CLUB

BLACK



79 MC CLUB

HEATHER INDIGO

79



TATE OF THE PARTY OF THE PARTY

MAXIMA LOGO

BLACK



The serverine

MAXIMA LOGO



79 MC CLUB HOODIE WOMEN'S GREY

The service

CLASSIC POLO







ASSORTED DECAL SHEET

















THERMALWELD RACE PATCH

Smooth patch material, perfect for leathers, jerseys

and race pants. 8.5" logo, 10" logo and 3.5" icon.

AUTHORIZED DEALER DECALS 15"



M2K DECAL 27"



MAXIMA BANNER 42" X 10' WITH METAL GROMMETS



M SQUARED BLACK 210 FITTED



79 MC CLUB GREY



MAXIMA LOGO BLACK THE ORIGINAL FLEXFIT



MAXIMA LOGO RED THE ORIGINAL FLEXFIT



RACE CANOPY 10' X 15' Premium quality race canopy featuring Maxima logos. Powder coated black frame. Tops also available separately.



M SQUARED BLACK

MESH CLASSIC SNAPBACK

DISPLAY RACKS





WORLD CHAMPION

Tim Gajser



PROFILTER HIGH PERFORMANCE AIR & OIL FILTERS

Designed to protect off-road motorcycles, ATVs and SXS. A full range of products including industry leading ready-to-use, pre-oiled air filters, providing value to those looking for quick and easy maintenance on the trail or in the garage. Increase horsepower, oil flow and eliminate wear with premium ProFilter oil filters, covers and two different air filter designs.







PROFILTER PRE-OILED, DISPOSABLE AIR FILTERSREADY-TO-USE, READY-TO-RACE


A new perfectly oiled ProFilter air filter provides maximum airflow and increased horsepower. Ready-to-Use air filters are constructed of dual-layer, reticulated foam. Reticulation is a process that opens up the foam cells, allowing for increased air flow and horsepower. The dual foam layers differ in foam pore size – the innermost foam consists of a more dense foam to catch fine particles of sand and powder, whereas the outermost foam is constructed of a more open pore matrix allowing for filtration of larger micron dirt particles. The open porosity of the outer foam also helps the air filter resist plugging. Air filter seams are welded with industrial strength adhesive and all filters come with a rubber grommet to help secure the filter in place to the cage, eliminating tearing and keeping the structural integrity of the filter intact. When you get ready to change your filter, choose ProFilter.

PRE-OILED DUAL-STAGE FOAM AIR FILTER LOADED WITH FEATURES!

READY-TO-USE FILTER FEATURES

- Pre-Oiled with MAXIMA FFT™
- Dual-Stage Open Cell Foam Matrix
- Plush 13mm Sealing Foam
- Dyno Tested, Race Approved
- Disposable Gloves Included
- Affordable, Disposable Air Filters

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS








Dual-stage, long life, Premium Air filters are made of chemical resistant, high quality polyester based foam. Heat laminated, dual-stage design allows for superior filtration by eliminating the passage of fine dirt and dust, while helping to prevent air flow blockage. Special reticulation process offers unsurpassed air flow and filtration. Permabond ultra-high strength seams increase the integrity of the filters wash after wash. Packaged individually in a re-sealable bag.

PREMIUM, LONG LIFE, DUAL-STAGE AIR FILTER LOADED WITH FEATURES!

PREMIUM FILTER FEATURES

- Reusable Long Life Air Filter
- Chemical Resistant, Polyester Based Foam
- 15mm High Flow Filtering Thickness
- Heat Laminated, Dual-Stage, Reticulated Foam
- Permabond Ultra-High Strength Seams
- Low Profile Rubber Grommet
- Plush 13mm Sealing Foam
- Re-Sealable Polybag

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS



STAINLESS STEEL OIL FILTER

Protect the oil that protects your investment by running a ProFilter Stainless Steel oil filter. Built from the finest materials - our stainless steel oil filters are built to last long after standard oil filters.

- Swiss Made Stainless Steel Micronic Filter Cloth
- Clean And Reuse
- Filters Particles As Small As 35 Microns
- Increased Flow
- Billet Aluminum End Caps
- For Use With Synthetic Or Petroleum Based Oils
- Exceeds All OEM Specifications

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS



OEM REPLACEMENT OIL FILTER

When you get ready to change your oil filter, change to a ProFilter OEM Replacement oil filter. Our OEM Replacement oil filters are built to exacting standards and exceed all OEM specifications.

- High Strength And Dimensional Stability
- Consistant Flow Rates
- For Use With Synthetic Or Petroleum Based Oils
- Exceeds All OEM Specifications

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS



PROFILTER HAS YOU COVERED

BILLET ALUMINUM OIL FILTER COVERS

Billet Oil Filter Covers are engineered to increase oil flow, helping to cool hot running 4-stroke engines. Built from military grade materials - these billet covers stand up to the test.

- CNC Machined 6061-T6 Billet Aluminum
- 3D CAD Design For Increased Flow Rates
- Sub-surface Anodized Finish
- Lightweight & Durable
- Precision Fit, Available For Most Popular Models
- Exceeds All OEM Specifications





3D CAD DESIGN FOR INCREASED FLOW RATES AND PRECISION FIT.





























VISIT www.PROFILTER.com FOR COMPLETE APPLICATION CHART.

2016 AR FILTER MOTORCYCLE APPLICATIONS

AIR FILTER TYPE

| WANTER / HODE IT A NOTICE IT A NOTICE | 7144 | | |
|--|-------------------|---|--|
| THE MOTION | | BIADYBOUM | - |
| | CE CO | 790 | MIDWORKS IN |
| the whole | 451 | 130 | property and |
| 1000 | | Marine Ball | P.21/2008 |
| CONTRACTOR | 76/- | ANDROS | WEST \$1,000.00 |
| CHAP166 COLD/108 | 10000 | 研究を | #EFFER |
| TO RESIDENCE TO THE RESIDENCE OF THE PROPERTY | 1000 | 5.5, 10.10 Section 600 | PROPERTY |
| 13/19/8 | 29. | 1 THE 1897 THE | MERONO |
| 80% ACCOUNTS 1000 1000 1000 1000 1000 1000 1000 10 | 1000 | MUMBEL Value | #11.0-A #11.0-A |
| CNOSCO | 540 | AND MINE | HTTLESSOO |
| TOTAL | 100 | AND MINE | Mindred Mindred |
| 7580 | - 3/ | Value oc. | PERCON. |
| CR497 | \$5-75 46-13 | 24 MAG | MERCHAL |
| PERSONAL PROPERTY AND ADDRESS OF THE PERSONAL PR | | AND SERVICE | ar in Francis |
| D was no second a standard | 0.0 | MARKS. | MT14001.00 |
| (37AM (\$10500 year 04-704 | 1275 | AND RES | Minorth (8) Wind(1) (8) |
| Tarse | 14.11 | 0.000000000000000000000000000000000000 | ・研究の研究を は、生活のです。 |
| V-9 | 190 | AND DESCRIPTION OF THE PERSON | Parameter Parame |
| 4 (A)(4)(A) | 36 | 595909 | MARK SOME |
| 10,200 | 240.6 | 14 pa/gr 48 pa/gr | #21000 #21000 |
| out . | 100 | 17154195 | WT1.0100 |
| 90 | TV | - ANDROGE - | - PERMITORS |
| 8 (C) | 954 | VESTILE. | MEDDER. |
| 945 | 1004 | AND REPORT | WELDS:0 |
| (A) | - 27 | Chiefe. | MT HOW Y |
| 804 | 69/0/ | STORES | HCT10+0000C |
| MAISO DOME | 507 | 49500000 49500000 | MANUFACTURE AND ADDRESS. |
| 94c | 186 | ORDERS - | MODEL SE |
| 0 W 0 M | 00-08 78% | ANYONE C | yet toodex |
| 400/40 | 100 | VHState | Windshift Walthard |
| Anather CAST | 5077 | ANAMOR SE | Manageria Manageria |
| (D) Dela | Tall. | A TRACKET LIST. | 900110 (K |
| TATURE | (0) (1) | -155 Sec. (2) | WINDS AND |
| TO MARKET AND A PROPERTY OF THE PROPERTY OF TH | 1110 | VICENSE. | MINSONS PRESSORE |
| 13/17/20/20/20/20/20/20/20/20/20/20/20/20/20/ | 200/00 | - AN HOUSE | 16/a |
| moving construction at military. | 700 | 5-6-W-00 | MA- |
| D CEN | 696-11 | 578 1961 (31) | PATRICIAL OC |
| Street state or an and the committee | 200 | VENDOR | ATTORIO ATTORIO |
| NO DOMESTICAN | 10.10 | AND GROUP | MINISTREE MINISTREE |
| BOOK BOATCH | 14/ | - MINES | PRODUCTOR |
| ECHC MIC | 73.0 | 4-50/00/2011 456/04/2011 | #100000X |
| TO SCY TO SCHOOL | 19611 | A4.00100 44.00000 | HE-TOPON HISTORICA |
| 10 Mar | 20100 | #1800E346 | Manager C |
| Mode form | 1871 | Alle San Co. | AMERICAN PROPERTY |
| Alterda Artif | CUID | ANT SHOW OF | MITSORIE |
| AC DE COLOR | 12-18 | AND MAKES | #15,000 #13,000 #11,000 #11,000 |
| # COME CENTER OF COME CENTER OF CENT | 140 | AMERICAN . | MERCANIA. |
| All No. (1) All old burns | 23 | ASSESS: | MENDERS. |
| 650 (x) (x) 65) 55, 566 | 7670 | A TOP GOT THE | PERMIT |
| 1804 | ichigh | A CONTRACT | at this place |
| R. Dispose (CAPA). According MAG. | 16100 | 565 | PG17501-00 |
| SUITE AND ENGINE TO THE ME THE | 44 | and the same | electrical services |
| Bell bellet | - 22 | 0430190 044000 | WENG IC |
| - (MELL) | HI/KE | 5148 Los | W75.400.00 |
| Mdi Mdi | - 22 | Misself III. | Ministrie Pilerik K |
| (Mary Mary Mary | Chirth Call St | 000M100 4636790 | Mary Control |
| MOR: | (C)(C) | AND MICH. | PC277070 |
| 9990 2000 | 10- | AN SHEET ST. | MT1-0000 MT6-0000 |
| D'S | 125 | NAME OF TAXABLE PARTY. | - |
| 11 k), | 765 | Amarokin Make Inc. | HILLIAN OF |
| | The same | A.M. COLOREST | MARK MIN |
| Tern- | Pales | 1.55/w/161 | Married W |
| 1000 1014 1000 1000 | 8901 | -MDW/sc- | HTTL OF OC |
| 975 975 405 4076 | 6019 | Miswise Seeman | PERMIT |
| 000 000 400 400 400 400 400 | 6019 | ANDROSE ANDROSE VEDROSE | WEST CO. |
| 60% 60% 40% 40% 40% | 92110 | 450000 | MINUSES. |

| 1016 AN ISSUE ATV ARRECATIONS | AIR FILTER TYPE | | |
|--|-----------------|------------------------------------|---------------------|
| MANAGACTURES / MODEL | TEAR | READY TO USE | PREMIUM |
| marked party | | CONTRACTOR | 177 |
| PARTY II | 281 | 148 97.00 | 60Y 00"6 |
| SURED (SSEE), "YOUGHESU" | 70 m. | 100 | AUTODO |
| POROD, 400 pell, "Yeapp revent" | 90- | 14/4 | APS/70858 |
| to you / tubulation assets | 260 | 19/4 | MONTH OF STREET |
| Object of histographic." | 85. | 10/4 | Apply District |
| ERCOLOG HIVING BANKS | 160 | 10.00 | AND DESIGN |
| RESIDENT TOMETHER | TRA | (3.26 | NO-chie |
| PARAMETER (MISS | | Mathematica | 10000 |
| -57 Fe | 4459 | BANKSON. | Series and American |
| 10.480 | 769 | 25/4 | Monte |
| p. 1751 (A.T.) (| 160- | 19/16 | MO099688 |
| WIND AND | - 4 | 100 | Airs Box 8 |
| 19/00 | 14700 | 1674 | Married Co. |
| man rid w | 11/50 | 144/6 | No. of Concession, |
| ptot the friend travel a flow or fired | 21- | 1459 | Artillapor i |
| M My March 1997 Company | | THE RESERVE OF THE PERSON NAMED IN | THE RESERVE |
| MACHE III | 1.81 | ##0GW | 6.1 307 |
| rotas atv | | AMERICAN IN | 1480.0 |
| NAMES OF TAXABLE PROPERTY. | Marie . | 1976 | APRIL D |
| WARREN DO THINK WHICH | 124 | 1500 | RETHRECH |
| PORTORNO DE TEMBRO NO UN T | st- | 71/4 | Acres la |
| William Co Cont. Lance- | 0.76 | 160 | Anima is |
| CIVITADIO NOTTE DE DE PROPERTO | 190- | 78.9 | ACTION 16 |
| CANADA CAR PERSONAL PROPERTY. | 90 | MA | APRILIE A |
| PARTICULAR THREE RESERVE | 241 | 14,00 | ACX (80014) |
| SERVICE AND THE PARTY OF THE PARTY. | (Tie- | 19/9 | Miles of the |
| PER AND PROPERTY AND THE REAL PROPERTY. | 1947 | 16.% | 6/7/80c H |
| positional de Promis Modern | Extent. | NA. | A270 E219 |
| CONCEASION DO | 500 | 1874 | NO STREET |
| WANTED TO SEE THE PERSON NAMED IN COLUMN TO SEE AS A SECOND TO SEC | 1000 | 14.6 | Nine and |
| QUEST DESIGN COUNTY CHARTY | 196- | 10/4 | and aren |
| CALIFORNIA AND CONTRACTOR OF THE | | - MARTINES | 10000 |
| 131 (C) | 191 | 0434340 | 571,36(8) |
| militarias: | - 00 | 10035500 | 103,040.0 |
| 241 | 44.6 | 9788A0420 | 473,584 |
| 200 | 1676 | WE KNOWN | Mountain |
| doubles. | 73.0 | 670 Section 1 | NO 1464 |
| Section AN | _ | - BUTTON | - CHARLES |
| Name of the last o | 88.90 | 6453450 | A/19 10 King |
| Sports | -00- | 4/5000-000 | REVENUE AN |
| Lance COD | 10.70 | +/%300000 | A/79.200084 |
| WINE OF | 100 | # HERES | Acres (Fally) |
| WEIGHT THE | 6.7% | erezocyte. | N25001 |
| Addition (V) | 10.75 | APERCON. | Altrigate |
| TECHO. | - 0 | CENTRAL | Series State |
| 77.8671 B | 56 | -6/8/300800 | NO SHAPE |
| V700 eE | 197,00 | difference. | APPROPRIE |
| PEG W. | 19.97 | | A/3 2007 |
| But No | 200 | 167 | 303 10,813 |
| O FOREST | 180 | 11/6 | A01 (01) |
| MENT IX | 744 | do. | AD SOM |
| HTV 14 | 184 | 100 | |

| 1016 OIL FILTER AFFLICATIONS | | OIL FILTER TYPE | | | |
|--|--|--|----------------------------|--|--|
| WANTED CHOCK | THAT | DEM ETPLEZEMINI | NAMED A STREET | | |
| (Cont. 50/50,40) | - 2 | 10.700 | (#) m(/#) | | |
| demonstrate Reports of the Athena Code . | 106 | Charles III | ORDER S | | |
| ALL ELEMENT AND PROPERTY. | WSOC. | OWNER | /07SY91A1 | | |
| AP (DAST) | 78/- | THERETICE | DES (22.18) | | |
| CONTRACTOR | 1400 | A STATE OF THE STATE OF T | 100000 | | |
| (4 CONCRETE) | 1960 | -13-1900 APR | TENDONES. | | |
| TESCHINA CO. | | MARKANIA | personal residence | | |
| Chenta | 10.14 | 25-1603.00 | \$86.00G/KG | | |
| # 45- | H-11. | 101000918 | (M)(M)(E) | | |
| (U.S.) | 16. | Liverage Line | 18400.00 | | |
| 1 (0)(n)C | - Dir | 24303.00 | .081000863 | | |
| A DAGUE | | 17 (SECTION) | Utocorec | | |
| delice. | 986 | 2347/0906 | F8103014C | | |
| N DOWN | 990 | DEVENIA | Oncident | | |
| aget. | 265 | 275018 | 045,340 (43 | | |
| 410.004 | - | 1550 0000 | 000 M Sec. | | |
| 40 / See AN | 760 | 129 2011 | 241-25 M | | |
| CPACIFIC PIL 18" | - W/A | NUMBER OF | 06/03/05 | | |
| restriction for the Philadelphia | Control of the last of the las | ATTENDED. | 180mm | | |
| HOP RETY (4) 29 | PUN | IT-OUT-OR | TELESCOPE | | |
| BELLEROE A BECOMMENDE | 90,00 | - Limited by | - 00 motors | | |
| 1jrgA | 25/4 | T0:1007476 | 19100000 | | |
| (0.78) | 140 | OFF STOLES | 3016800 | | |
| 115 y Charton | 36. | 7716/15/20 | 26/23/2485 | | |
| Make bying | 25/30 | 57 803 by | Off-Society Off-Society | | |
| To Pos 485 SE Brown | 50.0 | CLEVENCER | 18140050 | | |
| ADD Self | 26.7 | 231,382103 | 787-00014C | | |
| ALLECTIONS SECURITION OF THE PARTY OF THE PA | 100 | (25.9654.79) | OF LEGACIO | | |
| art by | 2/49 | 19/900.9 | DELYGRE | | |
| 40.58 | 101 | 19-10076-01 | / (Curoaer | | |
| All late | 280 | 19-2019 | 10500000 | | |
| AND REPORTED BY CO. | 20.74 | 201200330 | 19/1/00(ED | | |
| AUGUS AUGUSTAN | 136 | GP SEASON | OR OTHER | | |
| 12/10 | 377- | 779-T/23-00 | THU CAS | | |
| 90 (0.74F) | Date | DIPARAM | C85.0467-38 | | |
| alay: | 100 | 201 (001) 201 | 043 (00) 63 | | |
| IP DISC | 100 | División. | USHS-In. | | |
| Children . | | MERCHAN | SAME AND THE | | |
| FY NORMY, O' | (2) | 114240134 | 18/10/A | | |
| of tribals | 90 | LI-CALLIN | 18100 00 | | |
| 941910940B | The second second | AND PROPERTY. | THE SAME STATE OF | | |

| COAST ON VINEE COLLEGE VALACIONALIS | OIL LIFTER COARK | | |
|---|--|--|--|
| MANAGEMENT / Model | YAAT | FEET ALLEGEUR COVER | |
| CAT DES CATAGO COMO DE CATAGO COMO D | 277 234,028 104 104 104 104 205 206 206 | \$2,4,000,00 \$2,4,000,00 \$2,4,000,00 \$2,4,000,00 \$2,4,000,00 \$2,4,000,00 \$2,4,000,00 \$2,4,000,00 \$2,4,000,00 | |
| arya ara | ä | 50 M/10 80 M/10 | |
| TOTAL | 251-0 110- 110- 110- 110- 110- 110- 110- | \$2,000 for \$4,000 for \$2,000 for \$2,000 for \$2,000 for \$4,000 for \$6,000 for \$6,000 for | |
| NOTE: NOTE: NOTE: | 34.97 35% 33 33 | \$04,9610, \$14,9800, \$04,900,01 \$14,480,01 | |
| (United (U.2.G. Lee) (U.2.G. Le | 98-09 (80 (80 (90) (40 (90,09) (40) (40,00) | 60 (500 E) 84 (20 C) 60 (20 C) 60 (20 C) 60 (20 C) 60 (20 C) 80 (20 C) 80 (20 C) | |

2016 OIL RITTED COVER APPLICATIONS

OIL FILTER COVER



